

# **HEPAL PLUS**

## (LIVER TONIC)

### EACH 1ML CONTAINS

|                         |        |
|-------------------------|--------|
| Sorbitol.....           | 100mg  |
| Choline chloride.....   | 50mg   |
| Manitol.....            | 65mg   |
| Sodium chloride.....    | 100mg  |
| Potassium chloride..... | 75mg   |
| L-lysine mono hcl ..... | 10mg   |
| Vitamin B12.....        | 0.01mg |
| DL-methionine .....     | 15mg   |
| L-carnitine hcl.....    | 50mg   |
| Excipient q.s           | 1000ml |



### FEATURES AND INDICATIONS

- ◆ Increase bile production and pancreatic enzymes.
- ◆ Regenerate liver cells, prevent fat accumulation in liver, metabolize cholesterol in arteries and liver.
- ◆ Accelerate liver function and detoxify the harmful ammonia effect.
- ◆ It plays a vital role lipid metabolism. It significantly enhances intestinal function and increase the maximum utilization of nutrients.

### USAGE AND ADMINISTRATION

Poultry: 1ml/3L of water.

Livestock: 3-4ml/20kg of body weight. Consecutive use for 5-7 days.

# **LV-TOP**

## (LIVER TONIC)

### EACH 1L CONTAINS

|                       |        |
|-----------------------|--------|
| L-Carnitine.....      | 20g    |
| DL methionine.....    | 10g    |
| Choline Chloride..... | 18.75g |
| Magnesium.....        | 0.99g  |
| Sorbitol.....         | 200g   |
| Excipient q.s         | 1000ml |



### INDICATIONS

- ◆ Improves digestion and metabolism of main feed nutrients especially fats.
- ◆ Supports the natural detoxification function of the liver, and it's used to treat lack of appetite, water belly ayndrome, hydropericardium.
- ◆ It can be used together with anticoccidials, antibiotics and antiparasitics to minimize the possible damaging effects on the liver.



### DOSAGE AND ADMINISTRATION

Poultry: 0.5-1ml per liter of drinking water. It may be used for 10 consecutive days in high performing layers, breeders and fast growing broilers.